



Risiko für
Einschränkungen
der beruflichen Aktivität
und Teilhabe

Prof. Dr. med. Michael Liebreuz
Dr. med. Roman Schleifer

■ ■ ■ LITERATURVERZEICHNIS

Im Rahmen der Entwicklung des vorliegenden Instrumentes sind folgende Publikationen entstanden:

- Schleifer, R., Gamma, A., Warnke, I., Jabat, M., Rössler, W., Liebreuz, M. (2018). Online survey of medical and psychological professionals on structured instruments for the assessment of work ability in psychiatric patients Front. Psychiatry in press September 2018 / Volume 9 / Art. 453
- Gamma, A., Schleifer, R., Warnke, I., Ajdacic-Gross, V., Rössler, W., Angst, J., Liebreuz, M. (2017). Duration of absence from work is related to psychopathology, personality, and socio-demographic variables in a longitudinal cohort. Front. Psychiatry | doi: 10.3389/fpsyt.2017.00252,
- Schleifer, R., Liebreuz, M. (2017). Beurteilung der beruflichen und ausserberuflichen Leistungsfähigkeit im Rahmen der psychiatrischen Begutachtung, Schweizer Zeitschrift für Psychiatrie & Neurologie, 17(3), 40-46
- Liebreuz, M., Schleifer, R. (2016). Der Beitrag der Forschung für die Beurteilung von Leistungsfähigkeit und Prognose. SZS/RSAS Schweizerische Zeitschrift für Sozialversicherung und berufliche Vorsorge 60(5):498
- Canela, C., Schleifer, R., Dube, A., Ebner, G., Seifritz, E., Liebreuz, M. (2016) Assessment of functioning when conducting occupational capacity evaluations – What is “evidence based”? Psychiatrische Praxis. 43(2):74-81
- Schleifer R, Jeger J, Canela C, Ebner G, Seifritz E, Liebreuz M. (2014) Psychiatrische Expertise/juristische Entscheide im Sozialversicherungsrecht - Expertise psychiatrique/décisions juridiques dans le droit des assurances sociales -- Abklärungstiefe psychiatrischer Gutachten - Profondeur d'analyse de l'expertise psychiatrique. InFo Neurologie und Psychiatrie 12(6):30.

Instrumente die dem Structured Professional Judgement (SPJ) Ansatz folgen:

- Hachtel, H., Vogel, T., & Graf, M. (2018). Überarbeitung des Basler Kriterienkatalogs zur Beurteilung der Legalprognose („Dittmann-Liste “). Forensische Psychiatrie, Psychologie, Kriminologie, 1-8. Zugriff unter: https://www.upk.ch/fileadmin/user_upload/Erwachsene/Erwachsenenforensik/Dokumente/basler_kriterien-katalog_version_2.pdf
- Douglas, K. S., Hart, S. D., Webster, C. D., Belfrage, H., Guy, L. S., & Wilson, C. M. (2014). Historical-clinical-risk management-20, version 3 (HCR-20V3): development and overview. International Journal of Forensic Mental Health, 13(2), 93-108.

V-Items

- Kessler, R. C., Berglund, P., Demler, O., Jin, R., Merikangas, K. R., & Walters, E. E. (2005). Lifetime prevalence and age-of-onset distributions of DSM-IV disorders in the National Comorbidity Survey Replication. *Archives of general psychiatry*, 62(6), 593-602.
- Hengartner, M. P., Müller, M., Rodgers, S., Rössler, W., & Ajdacic-Gross, V. (2014). Occupational functioning and work impairment in association with personality disorder trait-scores. *Social psychiatry and psychiatric epidemiology*, 49(2), 327-335.
- Goldstein, R. B., Dawson, D. A., Smith, S. M., & Grant, B. F. (2012). Antisocial behavioral syndromes and 3 year quality of life outcomes in United States adults. *Acta Psychiatrica Scandinavica*, 126(2), 137-150.
- Michon, H. W. C., Ten Have, M., Kroon, H., Van Weeghel, J., De Graaf, R., & Schene, A. H. (2008). Mental disorders and personality traits as determinants of impaired work functioning. *Psychological Medicine*, 38(11), 1627-1637.
- Skodol, A. E., Johnson, J. G., Cohen, P., Sneed, J. R., & Crawford, T. N. (2007). Personality disorder and impaired functioning from adolescence to adulthood. *The British Journal of Psychiatry*, 190(5), 415-420.
- Coid, J., Yang, M., Tyrer, P., Roberts, A., & Ullrich, S. (2006). Prevalence and correlates of personality disorder in Great Britain. *The British Journal of Psychiatry*, 188(5), 423-431.
- Baer, N., Frick, U., & Fasel, T. (2009). Dossieranalyse der Invaldisierungen aus psychischen Gründen; Typologisierung der Personen, ihrer Belastungen, Erkrankungen und Berentungsverläufe. *Beiträge zur Sozialen Sicherheit, Forschungsbericht*, 6(09)
- Hensing, G., & Spak, F. (1998). Psychiatric disorders as a factor in sick-leave due to other diagnoses: a general population-based study. *The British Journal of Psychiatry*, 172(3), 250-256.
- Wang, P. S., Lane, M., Olfson, M., Pincus, H. A., Wells, K. B., & Kessler, R. C. (2005). Twelve-month use of mental health services in the United States: results from the National Comorbidity Survey Replication. *Archives of general psychiatry*, 62(6), 629-640.
- Stansfeld, S. A., Fuhrer, R., Shipley, M. J., & Marmot, M. G. (1999). Work characteristics predict psychiatric disorder: prospective results from the Whitehall II Study. *Occupational and environmental medicine*, 56(5), 302-307.
- Bender, D. S., Dolan, R. T., Skodol, A. E., Sanislow, C. A., Dyck, I. R., McGlashan, T. H., ... & Gunderson, J. G. (2001). Treatment utilization by patients with personality disorders. *American Journal of psychiatry*, 158(2), 295-302.
- Fasel, T., Baer, N., & Frick, U. (2010). Dynamik der Inanspruchnahme bei psychischen Problemen: Soziodemographische, regionale, krankheits- und systembezogene Indikatoren. Neuchâtel, Switzerland: Schweizerisches Gesundheitsobservatorium (Obsan).
- Laitinen-Krispijn, S., Bijl, R. (2000). Mental disorders and employee sickness absence: the NEMESIS study. *Social psychiatry and psychiatric epidemiology* 35 (2):71-77
- Kessler, RC., Frank, RG. (1997) The impact of psychiatric disorders on work loss days. *Psychological medicine* 27 (04):861-873
- Young, AE., Russell, J. (1995) Demographic, psychometric, and case progression information as predictors of return-to-work in teachers undergoing occupational rehabilitation. *Journal of occupational rehabilitation* 5 (4):219-234
- Richardson, L., Epp, S. (2016) Substance Use Disorders, Employment and the Return to Work. In: *Handbook of Return to Work*. Springer, pp 667-692
- McAlpine, DD., Mechanic, D. (2000) Utilization of specialty mental health care among persons with severe mental illness: the roles of demographics, need, insurance, and risk. *Health services research* 35 (1 Pt 2):277
- Uebelacker, L. A., Wang, P. S., Berglund, P., & Kessler, R. C. (2006). Clinical differences among patients treated for mental health problems in general medical and specialty mental health settings in the National Comorbidity Survey Replication. *General hospital psychiatry*, 28(5), 387-395.

- Roick, C., Gärtner, A., Heider, D., & Angermeyer, M. C. (2002). Heavy user psychiatrischer Versorgungsdienste. *Psychiatrische Praxis*, 29(07), 334-342
- Kuhl, H. C., & Herdt, J. (2007). Stationäre psychiatrische Inanspruchnahme in der Schweiz: eine epidemiologische Auswertung der medizinischen Statistik. *Schweizerisches Gesundheitsobservatorium*.
- Benjet, C., Borges, G., & Medina-Mora, M. E. (2010). Chronic childhood adversity and onset of psychopathology during three life stages: childhood, adolescence and adulthood. *Journal of psychiatric research*, 44(11), 732-740.23.
- Fryers T, Brugha T (2013) Childhood determinants of adult psychiatric disorder. *Clinical practice and epidemiology in mental health: CP & EMH* 9:1
- Hengartner, M. P., Von Wyl, A., Tanis, T., Halmi, W., Galynker, I., & Cohen, L. J. (2015). Severity of personality disorders and domains of general personality dysfunction related to attachment. *Personality and mental health*, 9 (3), 195-207.
- Hengartner, M. P., Müller, M., Rodgers, S., Rössler, W., & Ajdacic-Gross, V. (2014). Interpersonal functioning deficits in association with DSM-IV personality disorder dimensions. *Social psychiatry and psychiatric epidemiology*, 49(2), 317-325.
- Cramer, V., Torgersen, S., & Kringlen, E. (2006). Personality disorders and quality of life. A population study. *Comprehensive Psychiatry*, 47(3), 178-184.
- Wayne, J. H., Musisca, N., & Fleeson, W. (2004). Considering the role of personality in the work-family experience: Relationships of the big five to work-family conflict and facilitation. *Journal of vocational behavior*, 64(1), 108-130.
- Baer, N., Fasel, T. (2011). Schwierige Mitarbeiter. Beiträge zur sozialen Sicherheit Bundesamt für Sozialversicherungen Forschungsbericht Nr 1 11
- Guppy, A., Weatherstone, L. (1997). Coping strategies, dysfunctional attitudes and psychological well-being in white collar public sector employees. *Work & Stress* 11 (1):58-67
- De Dreu, CK., Van Dierendonck, D., Dijkstra, MT. (2004). Conflict at work and individual well-being. *International journal of conflict management* 15 (1):6-26
- Boockmann, B., & Steffes, S. (2010). Workers, firms, or institutions: What determines job duration for male employees in Germany?. *ILR Review*, 64(1), 109-127.
- Koopmans, P. C., Roelen, C. A., & Groothoff, J. W. (2007). Frequent and long-term absence as a risk factor for work disability and job termination among employees in the private sector. *Occupational and environmental medicine*.
- Krause, N., Frank, J. W., Dasinger, L. K., Sullivan, T. J., & Sinclair, S. J. (2001). Determinants of duration of disability and return to work after work related injury and illness: Challenges for future research. *American journal of industrial medicine*, 40(4), 464-484.
- Blank, L., Peters, J., Pickvance, S., Wilford, J., & MacDonald, E. (2008). A systematic review of the factors which predict return to work for people suffering episodes of poor mental health. *Journal of occupational rehabilitation*, 18(1), 27-34.
- Alden, L. (2012). Factors that Predict Return-to-work in Workers with PTSD. *WorkSafeBC*.
- Phillips, SP., Carver, L. (2015). Early Parental Loss and Self-Rated Health of Older Women and Men: A Population-Based, Multi-Country Study.
- Stumbo, SP., Yarborough. BJH., Paulson, RI., Green, CA. (2015). The Impact of Adverse Child and Adult Experiences on Recovery From Serious Mental Illness.
- Law, M. (2002) Participation in the occupations of everyday life. *American Journal of Occupational Therapy* 56 (6):640-649
- Eklund, M., Leufstadius, C., & Bejerholm, U. (2009). Time use among people with psychiatric disabilities: Implications for practice. *Psychiatric Rehabilitation Journal*, 32(3), 177.

G-Items

- Rymaszewska, J., Jarosz-Nowak, J., Kiejna, A., Kallert, T., Schützwohl, M., Priebe, S., ... & Raboch, J. (2007). Social disability in different mental disorders. *European Psychiatry*, 22(3), 160-166.
- Keshavan, M. S., Vinogradov, S., Rumsey, J., Sherrill, J., & Wagner, A. (2014). Cognitive training in mental disorders: update and future directions. *American Journal of Psychiatry*, 171(5), 510-522.
- Vesterager, L., Christensen, T. Ø., Olsen, B. B., Krarup, G., Melau, M., Forchhammer, H. B., & Nordentoft, M. (2012). Cognitive and clinical predictors of functional capacity in patients with first episode schizophrenia. *Schizophrenia research*, 141(2-3), 251-256.
- Tabarés-Seisdedos, R., Balanzá-Martínez, V., Sánchez-Moreno, J., Martínez-Aran, A., Salazar-Fraile, J., Selva-Vera, G., ... & Vieta, E. (2008). Neurocognitive and clinical predictors of functional outcome in patients with schizophrenia and bipolar I disorder at one-year follow-up. *Journal of Affective Disorders*, 109(3), 286-299.
- Kessing, L. V., Hansen, M. G., Andersen, P. K., & Angst, J. (2004). The predictive effect of episodes on the risk of recurrence in depressive and bipolar disorders—a life long perspective. *Acta Psychiatrica Scandinavica*, 109(5), 339-344.
- Judd, L. L., Akiskal, H. S., Zeller, P. J., Paulus, M., Leon, A. C., Maser, J. D., ... & Rice, J. P. (2000). Psychosocial disability during the long-term course of unipolar major depressive disorder. *Archives of general psychiatry*, 57(4), 375-380.
- Kessler, R. C., Ormel, J., Demler, O., & Stang, P. E. (2003). Comorbid mental disorders account for the role impairment of commonly occurring chronic physical disorders: results from the National Comorbidity Survey. *Journal of Occupational and Environmental Medicine*, 45(12), 1257-1266.
- Linden, M., & Baron, S. (2005). Das „Mini-ICF-Rating für psychische Störungen (Mini-ICF-P)“. Ein Kurzinstrument zur Beurteilung von Fähigkeitsstörungen bei psychischen Erkrankungen. *Die Rehabilitation*, 44(03), 144-151.
- WHO (2001) International classification of functioning, disability and health: ICF. World Health Organization

Z-Items

- Lawton, M. P., & Brody, E. M. (1969). Instrumental activities of daily living scale (IADL). *The Gerontologist*, 9, 179-186.
- Anema J, Jettinghoff K, Houtman I, Schoemaker C, Buijs P, Van den Berg R (2006) Medical care of employees long-term sick listed due to mental health problems: a cohort study to describe and compare the care of the occupational physician and the general practitioner. *Journal of occupational rehabilitation* 16 (1):38-49
- Rebergen, D. S., Bruinvels, D. J., Bezemer, P. D., van der Beek, A. J., & Van Mechelen, W. (2009). Guideline-based care of common mental disorders by occupational physicians (CO-OP study): a randomized controlled trial. *Journal of occupational and environmental medicine*, 51(3), 305-312.
- Hengartner, M. P., Angst, F., Ajdacic-Gross, V., Rössler, W., & Angst, J. (2016). Treated versus non-treated subjects with depression from a 30-year cohort study: prevalence and clinical covariates. *European archives of psychiatry and clinical neuroscience*, 266(2), 173-180.
- Haywood, T. W., Kravitz, H. M., Grossman, L. S., & Cavanaugh Jr, J. L. (1995). Predicting the "revolving door" phenomenon among patients with schizophrenic, schizoaffective, and affective disorders. *The American journal of psychiatry*, 152(6), 856.
- Lorine, K., Goenjian, H., Kim, S., Steinberg, A. M., Schmidt, K., & Goenjian, A. K. (2015). Risk factors associated with psychiatric readmission. *The Journal of nervous and mental disease*, 203(6), 425-430.

- Mondloch, M. V., Cole, D. C., & Frank, J. W. (2001). Does how you do depend on how you think you'll do? A systematic review of the evidence for a relation between patients' recovery expectations and health outcomes. *Canadian Medical Association Journal*, 165(2), 174-179.
- Volker, D., Zijlstra-Vlasveld, M. C., Brouwers, E. P. M., Van Lomwel, A. G. C., & Van der Feltz-Cornelis, C. M. (2015). Return-to-work self-efficacy and actual return to work among long-term sick-listed employees. *Journal of occupational rehabilitation*, 25(2), 423-431.
- Lundin, A., Kjellberg, K., Leijon, O., Punnett, L., & Hemmingsson, T. (2016). The association between self-assessed future work ability and long-term sickness absence, disability pension and unemployment in a general working population: a 7-year follow-up study. *Journal of occupational rehabilitation*, 26(2), 195-203.
- Noordik, E., Nieuwenhuijsen, K., Varekamp, I., van der Klink, J. J., & J. van Dijk, F. (2011). Exploring the return-to-work process for workers partially returned to work and partially on long-term sick leave due to common mental disorders: a qualitative study. *Disability and rehabilitation*, 33(17-18), 1625-1635.
- Nussbaum, C. A., Riecher-Rössler, A., Grize, L., Apfel, T., Basel, P. U., & Riecher-Rössler, A. (2009). Nützen Behandlungsempfehlungen in psychiatrischen versicherungsrechtlichen Gutachten? *Fortschr Neurol Psychiat*, 76; 160-165
- Reims, N., & Bauer, U. (2015). Labour market status and well-being in the context of return to work after vocational rehabilitation in Germany. *Journal of occupational rehabilitation*, 25(3), 543-556.
- Cornelius, L. R., Van der Klink, J. J. L., Groothoff, J. W., & Brouwer, S. (2011). Prognostic factors of long term disability due to mental disorders: a systematic review. *Journal of occupational rehabilitation*, 21(2), 259-274.
- Dekkers-Sánchez, P. M., Hoving, J. L., Sluiter, J. K., & Frings-Dresen, M. H. (2007). Factors associated with long-term sick leave in sick listed employees: a systematic review. *Occupational and environmental medicine*.
- Vaez, M., Rylander, G., Nygren, Å., Åsberg, M., & Alexanderson, K. (2007). Sickness absence and disability pension in a cohort of employees initially on long-term sick leave due to psychiatric disorders in Sweden. *Social psychiatry and psychiatric epidemiology*, 42(5), 381-388.
- Sale, C., Guppy, A., & El-Sayed, M. (2000). Individual differences, exercise and leisure activity in predicting affective well-being in young adults. *Ergonomics*, 43(10), 1689-1697.
- Sonnentag, S. (2001). Work, recovery activities, and individual well-being: a diary study. *Journal of occupational health psychology*, 6(3), 196.
- Linden, M., Muschalla, B. (2007) Arbeitsplatzbezogene Ängste und Arbeitsplatzphobie. *Der Nervenarzt* 78 (1):39-44
- Muschalla, B., Linden, M. (2008) Die Arbeitsplatzphobieskala - Ein Screening-Instrument für die medizinische Rehabilitation. *Ärztliche Psychotherapie* 3 (4) :258-262
- Linden, B., Muschalla M. (2009). Arbeitsplatzängste und Arbeitsplatz-phobie und ihre Auswirkungen auf die berufliche Partizipation. *Versicherungsmedizin*, 61(2).
- Muschalla, B. (2015) Different work capacity impairments in patients with different work-anxieties. *International archives of occupational and environmental health*: 1-11

 **KONTAKT**

Prof. Dr. med. Michael Liebreuz
Dr. med. Roman Schleifer

Universität Bern
Medizinische Fakultät
Institut für Rechtsmedizin
Forensisch-Psychiatrischer Dienst (FPD)

Falkenplatz 18
CH-3012 Bern
Tel. +41 31 631 32 44
contact@fpd.unibe.ch